



## SPRING LONG - SLEEVED SWEATER

### MATERIAL

**YARN** = [Landscape](#) by Laines du Nord; 450 (550-600-650) grams of col. no. 5  
**CROCHET-HOOK** = size 3  
**OTHER** = darning needle, scissors, tape measure

### SAMPLE

18 chain stitches x 20 rows of single crochet with hook no. 3. If necessary change the number of hooks to get the right tension.

### MEASURES

**SIZES:** S (M-L-XL)

### POINTS USED

**Chain stitch, single crochet, double crochet, treble crochet.**

**Back post double crochet:** insert the hook into the back loop of one base st. and then work in dc.

### Patterned Stitch

**1st round:** 4 ch, skip 1 st., (1 tr in next st., 1 ch, skip 1 st.) rep. across the entire round: 1 sc in the 3rd of 4 beg-ch.

# KNITTING PASSION

**2nd round:** 3 ch, 1 tr in each st. of the round; 1 sc in 3rd beg-ch.

Always rep. the 1st and 2nd round until you have reached your desired length.

## NOTES

**SKILL LEVEL:** Intermediate

Work the sweater in top-down technique (from top to down).

**Decrease (2 tr together):** (yo, insert the hook into the next st., yo and pull a new loop, yo and pull it through 2 loops on the crochet-hook.) twice, yo and pull it through 3 loops on the crochet-hook.

## ABBREVIATIONS

**WS** = wrong side of work

**M** = marker

**NB:** please note

**st. / sts.** = stitch / stitches

**incr.** = increase

**ch** = chain stitch

**col.** = colour

**sc** = single crochet

**dc** = double crochet

**tr** = treble crochet

**yo** = yarn over

**rep.** = repeat

**fol.** = follow / following

**beg.** = begin / beginning

## INSTRUCTIONS

### COLLAR

For all sizes: cast-on 7 ch.

**1st row:** 1 sc in the 2nd ch from hook and in each ch until the end of row, turn. [6 dc]

**2nd row:** 1 ch (do not consider it like 1st st.), 1 sc in each of 6 next sts., turn.

Rep. the 2nd row until the collar band reaches 40 (40-45-45) cm in length (when you measure the band, do not stretch it). Close the collar in cylinder shape, joining the last row at the base-ch, working one row in dc, inserting the hook through each couple of sts. of both edges. Do not cut the yarn and continue around the circumference of the collar. The joining line of the collar is on the back of the sweater.

### YOKE

**1st round:** at the ends of the collar rows, work 100 (100-116-116) dc around the edge, uniformly. Continue in patterned stitch.

**2nd round:** 4 ch (instead of 1st tr and 1 ch) also for next rounds, (1 tr, 1 ch) in each dc; 1 sc in 3rd of 4 beg-ch. [100 (100-116-116) tr, 100 (100-116-116) 1-ch-spaces]

For raglans and different parts shaping, work as foll.: count 13 (13-15-15) 1-ch-spaces and insert the 1st M into the last 1-ch-space (first half of back), count 24 (24-28-28) 1-ch-spaces and insert the 1st M in the last 1-ch-space (first

sleeve), count 26 (26-30-30) 1-ch-spaces and insert the 3rd M in the last 1-ch-space (front); count 24 (24-28-28) 1-ch-spaces and insert the 4th M in the last 1-ch-space (second sleeve), the remaining 13 (13-15-15) 1-ch-spaces shape the second half of back.

**3th round:** 3 ch (instead of 1st tr, also for next rounds), \* 1 tr in each tr and in each 1-ch-space until 1-ch-space with the M, for raglan increase (1 tr, 2 ch, 1 tr) into the space with the M, move the M in the 2-ch-space of last increase \*, rep from \* to \* 3 times more, 1 tr in each tr and in each 1-ch-space until the end of the round; 1 sc in 3rd beg-ch.

**4th round:** 4 ch, skip 1 st., \* (1 tr in the next st., 1 ch, skip 1 st.) until the space with the M, (1 tr, 2 ch, 1 tr) in 2-ch-space, move the M into the 2-ch-space of last increased, 1 ch, skip 1 st. \*, rep. from \* to \* 3 times more, then work (1 tr in next st., 1 ch, skip 1 st.) until the end of the round; 1 sc in the 3rd of 4 beg-ch.

Continue rep. the il 3rd and 4th round, working the raglan increases = 15 rounds total.

Cont. working the sleeves in patterned st. (included the raglan increases) and, for front and back, work 1 tr in each tr reaching 22 (23-25-27) cm in height, from lower band of collar.

Across the next round, continue as follow:

**Next Round:** 3 ch, 1 tr in each tr until the space with the M (first half of the back), 1 tr in 2-ch-space with the M, 10 ch for first undersleeve (= armpit), skip the sts. of the sleeve and work 1 tr in 2-ch-space with next M, 1 tr in each st. until the next M (front), 1 tr in 2-ch-space with the M, 10 ch for second undersleeve (= armpit), skip the sts. of the sleeve and work 1 tr in 2-ch-space with the next M, 1 tr in each st. until the end (second half of the back); 1 sc in 3rd beg-ch.

## BODY OF THE SEWATER

**Next Round:** 3 ch, 1 tr in each tr of the back and front, then 1 tr in each of 10 ch of 2 armpits; 1 sc in 3rd beg-ch.

Work 3 (3-5-5) rounds more, as foll.: 3 ch, 1 tr in each st. of the round; 1 sc in 3rd beg.ch.

Continue in patterned st., reaching 50 (52-54-56) cm in height and end rep. the 2nd round. Cut and tie off the yarn.

Hide the ends inside the fabric.

## SLEEVE (x 2)

Beginning from centre of 10 armpit-sts., work around the armhole edge, cont. in patterned st., decr. 1 st. on both edges of each tr-round. Continue until the sleeve measures 50 (60-65-65) cm, and end rep. the 2nd round. Cut and tie off the yarn.

**NB:** across the working, check the measure of your sleeve; in case it's too tight, reduce the decreases.

Hide the ends inside the fabric.

Work the second sleeve as given for first one.

## FINISHING

### Cuffs of the sleeves

Cast-on 13 ch.

**1st row:** 1 dc in 2nd ch from hook and in each ch until the end, turn.[12 dc]

**2nd row:** 1 ch (do not consider it like 1st st.), 1 BPdc in each of 12 next sts., turn.

Rep. the 2nd row until the cuff reaches the same measure of the lower edge of the sleeve (when you measure do not stretch the edge).

Close the cuff in cylinder shape, joining last row with the ch-base, working one row in dc, inserting the hook through each couple of sts. of both edges.

## Lower band of the sweater

Work as given for cuffs, reaching the same length of circumference of lower edge of the sweater, then close in ring shape as given for cuffs.

On WS, join the cuffs with the lower edge of the sleeves, working one round in dc uniformly, inserting the hook through the corresponding sts. of both edges, if required, work some decreases to avoid that the band is too elastic.

On WS, join the band with the lower edge of the st., as given above.

## IMAGES

---

